

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

<u>NEWS 1</u>		Web Page URLs for STN Seminar Schedule - N. America
<u>NEWS 2</u>		"Ask CAS" for self-help around the clock
<u>NEWS 3</u>	JAN 27	Source of Registration (SR) information in REGISTRY updated and searchable
<u>NEWS 4</u>	JAN 27	A new search aid, the Company Name Thesaurus, available in CA/CAPlus
<u>NEWS 5</u>	FEB 05	German (DE) application and patent publication number format changes
<u>NEWS 6</u>	MAR 03	MEDLINE and LMEDLINE reloaded
<u>NEWS 7</u>	MAR 03	MEDLINE file segment of TOXCENTER reloaded
<u>NEWS 8</u>	MAR 03	FRANCEPAT now available on STN
<u>NEWS 9</u>	MAR 29	Pharmaceutical Substances (PS) now available on STN
<u>NEWS 10</u>	MAR 29	WPIFV now available on STN
<u>NEWS 11</u>	MAR 29	No connect hour charges in WPIFV until May 1, 2004
<u>NEWS 12</u>	MAR 29	New monthly current-awareness alert (SDI) frequency in RAPRA

<u>NEWS EXPRESS</u>	MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 13 APRIL 2004
<u>NEWS HOURS</u>	STN Operating Hours Plus Help Desk Availability
<u>NEWS INTER</u>	General Internet Information
<u>NEWS LOGIN</u>	Welcome Banner and News Items
<u>NEWS PHONE</u>	Direct Dial and Telecommunication Network Access to STN
<u>NEWS WWW</u>	CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

```

* * * * * STN Columbus * * * * *

```

FILE 'HOME' ENTERED AT 09:59:08 ON 23 APR 2004

=> file reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 09:59:15 ON 23 APR 2004  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 21 APR 2004 HIGHEST RN 676437-01-7  
DICTIONARY FILE UPDATES: 21 APR 2004 HIGHEST RN 676437-01-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> file hcaplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.42	0.63

FILE 'HCAPLUS' ENTERED AT 09:59:19 ON 23 APR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 23 Apr 2004 VOL 140 ISS 18

FILE LAST UPDATED: 22 Apr 2004 (20040422/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 126:18962/dn

L1 1 126:18962/DN

=> sel rn

E1 THROUGH E22 ASSIGNED

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	2.44	3.07

FILE 'REGISTRY' ENTERED AT 09:59:40 ON 23 APR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 21 APR 2004 HIGHEST RN 676437-01-7

DICTIONARY FILE UPDATES: 21 APR 2004 HIGHEST RN 676437-01-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> s el-e22

```

1 14681-72-2/BI
  (14681-72-2/RN)
1 175915-79-4/BI
  (175915-79-4/RN)
1 184034-35-3/BI
  (184034-35-3/RN)
1 184034-39-7/BI
  (184034-39-7/RN)
1 184034-41-1/BI
  (184034-41-1/RN)
1 184034-42-2/BI
  (184034-42-2/RN)
1 184034-43-3/BI
  (184034-43-3/RN)
1 184034-44-4/BI
  (184034-44-4/RN)
1 184034-45-5/BI
  (184034-45-5/RN)
1 184034-46-6/BI
  (184034-46-6/RN)
1 184034-47-7/BI
  (184034-47-7/RN)
1 184034-48-8/BI
  (184034-48-8/RN)
1 184034-49-9/BI
  (184034-49-9/RN)
1 184034-50-2/BI
  (184034-50-2/RN)
1 184034-51-3/BI
  (184034-51-3/RN)
1 184034-52-4/BI
  (184034-52-4/RN)
1 184034-53-5/BI
  (184034-53-5/RN)
1 184034-54-6/BI
  (184034-54-6/RN)
1 184034-55-7/BI
  (184034-55-7/RN)
1 184034-56-8/BI
  (184034-56-8/RN)
1 184034-57-9/BI
  (184034-57-9/RN)
1 65490-21-3/BI
  (65490-21-3/RN)

```

```

L2      22 (14681-72-2/BI OR 175915-79-4/BI OR 184034-35-3/BI OR 184034-39-
        7/BI OR 184034-41-1/BI OR 184034-42-2/BI OR 184034-43-3/BI OR
        184034-44-4/BI OR 184034-45-5/BI OR 184034-46-6/BI OR 184034-47-
        7/BI OR 184034-48-8/BI OR 184034-49-9/BI OR 184034-50-2/BI OR
        184034-51-3/BI OR 184034-52-4/BI OR 184034-53-5/BI OR 184034-54-

```

6/BI OR 184034-55-7/BI OR 184034-56-8/BI OR 184034-57-9/BI OR  
65490-21-3/BI)

=> d can

'CAN' IS NOT A VALID FORMAT FOR FILE 'REGISTRY'

The following are valid formats:

Substance information can be displayed by requesting individual fields or predefined formats. The predefined substance formats are: (RN = CAS Registry Number)

REG - RN  
SAM - Index Name, MF, and structure - no RN  
FIDE - All substance data, except sequence data  
IDE - FIDE, but only 50 names  
SQIDE - IDE, plus sequence data  
SQIDE3 - Same as SQIDE, but 3-letter amino acid codes are used  
SQD - Protein sequence data, includes RN  
SQD3 - Same as SQD, but 3-letter amino acid codes are used  
SQN - Protein sequence name information, includes RN

CALC - Table of calculated properties  
EPROP - Table of experimental properties  
PROP - EPROP and CALC

Any CA File format may be combined with any substance format to obtain CA references citing the substance. The substance formats must be cited first. The CA File predefined formats are:

ABS -- Abstract  
APPS -- Application and Priority Information  
BIB -- CA Accession Number, plus Bibliographic Data  
CAN -- CA Accession Number  
CBIB -- CA Accession Number, plus Bibliographic Data (compressed)  
IND -- Index Data  
IPC -- International Patent Classification  
PATS -- PI, SO  
STD -- BIB, IPC, and NCL

IABS --ABS, indented, with text labels  
IBIB -- BIB, indented, with text labels  
ISTD -- STD format, indented

OBIB ----- AN, plus Bibliographic Data (original)  
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations  
SIBIB ----- IBIB, no citations

The ALL format gives FIDE BIB ABS IND RE, plus sequence data when it is available.

The MAX format is the same as ALL.

The IALL format is the same as ALL with BIB ABS and IND indented, with text labels.


For additional information, please consult the following help messages:

HELP DFIELDS -- To see a complete list of individual display fields.

HELP FORMATS -- To see detailed descriptions of the predefined formats.  
 ENTER DISPLAY FORMAT (IDE):end

=> d scan


L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Naphthalene, 1-[(4-chlorophenyl)seleno]-8-(methylseleno)- (9CI)  
 MF C17 H13 Cl Se2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1)22

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Naphthalene, 1-[(4-nitrophenyl)seleno]- (9CI)  
 MF C16 H11 N O2 Se




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Diselenide, bis[8-[(4-nitrophenyl)seleno]-1-naphthalenyl] (9CI)  
 MF C32 H20 N2 O4 Se4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Naphthalene, 1-[(4-methylphenyl)seleno]- (9CI)  
 MF C17 H14 Se




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Diselenide, bis[8-[(4-methylphenyl)seleno]-1-naphthalenyl] (9CI)  
 MF C34 H26 Se4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Naphthalene, 1-[(4-bromophenyl)seleno]-8-(methylseleno)- (9CI)  
 MF C17 H13 Br Se2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Selenium, isotope of mass 77 (8CI, 9CI)  
 MF Se


<sup>77</sup>Se

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Naphthalene, 1-[(4-methoxyphenyl)seleno]-8-(methylseleno)- (9CI)  
 MF C18 H16 O Se2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Naphthalene, 1-[(4-chlorophenyl)seleno]- (9CI)  
 MF C16 H11 Cl Se




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Diselenide, bis[8-[(4-chlorophenyl)seleno]-1-naphthalenyl] (9CI)  
 MF C32 H20 Cl2 Se4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Benzoic acid, 4-[[8-(methylseleno)-1-naphthalenyl]seleno]-, ethyl ester (9CI)  
 MF C20 H18 O2 Se2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Naphthalene, 1-(phenylseleno)- (9CI)  
 MF C16 H12 Se




103(a) bis selenide  
 H is isostere of  
 R<sub>1</sub> = methyl

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*




L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Naphthalene, 1-[(4-methylphenyl)seleno]-8-(methylseleno)- (9CI)  
 MF C18 H16 Se2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Naphthalene, 1-[(4-bromophenyl)seleno]- (9CI)  
 MF C16 H11 Br Se



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Diselenide, bis[8-[(4-bromophenyl)seleno]-1-naphthalenyl] (9CI)  
 MF C32 H20 Br2 Se4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Naphthalene, 1-(methylseleno)-8-[(4-nitrophenyl)seleno]- (9CI)

MF C17 H13 N O2 Se2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Diselenide, bis[8-(phenylseleno)-1-naphthalenyl] (9CI)  
 MF C32 H22 Se4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Naphthalene, 1-(methylseleno)-8-(phenylseleno)- (9CI)  
 MF C17 H14 Se2



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Benzoic acid, 4-(1-naphthalenylseleno)-, ethyl ester (9CI)  
 MF C19 H16 O2 Se



103(a) esters obvious on Carboxylic Acids  
p.m.


\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Benzoic acid, 4,4'-[diselenobis(8,1-naphthalenediyl)seleno]bis-, diethyl ester (9CI)  
MF C38 H30 O4 Se4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Naphthalene, 1-[(4-methoxyphenyl)seleno]- (9CI)  
MF C17 H14 O Se



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 22 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN Diselenide, bis[8-[(4-methoxyphenyl)seleno]-1-naphthalenyl] (9CI)  
MF C34 H26 O2 Se4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

ALL ANSWERS HAVE BEEN SCANNED

=>

C:\stnweb\Queries\4.str




chain nodes :  
 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 45 47  
 ring nodes :  
 1 2 3 4 5 6 7 8 9 10 12 13 14 15 16 17  
 chain bonds :  
 18-19 18-20 21-22 21-23 23-24 25-26 25-27 27-28 29-30 29-31 32-33 32-34 34-35  
 36-37  
 ring bonds :  
 1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 12-13 12-17 13-14 14-15 15-16  
 16-17  
 exact/norm bonds :  
 21-22 21-23 23-24 25-26 25-27 29-30 29-31 32-33 32-34 36-37  
 exact bonds :  
 27-28 34-35  
 normalized bonds :  
 1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 12-13 12-17 13-14 14-15 15-16  
 16-17 18-19 18-20  
 isolated ring systems :  
 containing 1 : 12 :

G1:[\*1],[\*2],[\*3],[\*4],[\*5],[\*6]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 12:Atom  
 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:CLASS 19:CLASS 20:CLASS 21:CLASS  
 22:CLASS 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:CLASS 28:Atom 29:CLASS 30:CLASS  
 31:CLASS 32:CLASS 33:CLASS 34:CLASS 35:CLASS 36:CLASS 37:CLASS 45:CLASS 46:CLASS  
 47:CLASS 48:CLASS

c:\stnweb\Queries\5.str



```

chain nodes :
12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 39 40 42
ring nodes :
1 2 3 4 5 6 7 8 9 10
chain bonds :
12-13 12-14 15-16 15-17 17-18 19-20 19-21 21-22 23-24 23-25 26-27 26-28 28-29
30-31 39-42
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10
exact/norm bonds :
15-16 15-17 17-18 19-20 19-21 23-24 23-25 26-27 26-28 30-31 39-42
exact bonds :
21-22 28-29
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 12-13 12-14
isolated ring systems :
containing 1 :

```

G1: [\*1], [\*2], [\*3], [\*4], [\*5], [\*6]


Match level :

```

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 12:CLASS
13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS 21:CLASS
22:Atom 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:CLASS 28:CLASS 29:CLASS 30:CLASS
31:CLASS 39:CLASS 40:CLASS 41:CLASS 42:Atom 43:CLASS

```

c:\stnweb\Queries\8.str



```

chain nodes :
12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 39 40 42
ring nodes :
1 2 3 4 5 6 7 8 9 10
chain bonds :
12-13 12-14 15-16 15-17 17-18 19-20 19-21 21-22 23-24 23-25 26-27 26-28 28-29
30-31 39-42 40-42
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10
exact/norm bonds :
15-16 15-17 17-18 19-20 19-21 23-24 23-25 26-27 26-28 30-31 39-42 40-42
exact bonds :
21-22 28-29
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 12-13 12-14
isolated ring systems :
containing 1 :

```


G1:[\*1],[\*2],[\*3],[\*4],[\*5],[\*6]

```

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 12:CLASS
13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS 21:CLASS
22:Atom 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:CLASS 28:CLASS 29:CLASS 30:CLASS
31:CLASS 39:CLASS 40:CLASS 41:CLASS 42:Atom

```

c:\strweb\Queries\8a.str



chain nodes :

7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 34 35 37

ring nodes :

1 2 3 4 5 6

chain bonds :

7-8 7-9 10-11 10-12 12-13 14-15 14-16 16-17 18-19 18-20 21-22 21-23 23-24  
25-26 34-37 35-37

ring bonds :

1-3 1-2 2-6 3-4 4-5 5-6

exact/norm bonds :

10-11 10-12 12-13 14-15 14-16 18-19 18-20 21-22 21-23 25-26 34-37 35-37

exact bonds :

16-17 23-24

normalized bonds :

1-3 1-2 2-6 3-4 4-5 5-6 7-8 7-9


G1:[\*1],[\*2],[\*3],[\*4],[\*5],[\*6]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS  
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:Atom 18:CLASS 19:CLASS  
20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS 25:CLASS 26:CLASS 34:CLASS 35:CLASS  
36:CLASS 37:Atom



C:\stnweb\Queries\8b.str



chain nodes :  
 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 34 35 37  
 ring nodes :  
 1 2 3 4 5 6  
 chain bonds :  
 7-8 7-9 10-11 10-12 12-13 14-15 14-16 16-17 18-19 18-20 21-22 21-23 23-24  
 25-26 34-37 35-37  
 ring bonds :  
 1-3 1-2 2-6 3-4 4-5 5-6  
 exact/norm bonds :  
 10-11 10-12 12-13 14-15 14-16 18-19 18-20 21-22 21-23 25-26 34-37 35-37  
 exact bonds :  
 16-17 23-24  
 normalized bonds :  
 1-3 1-2 2-6 3-4 4-5 5-6 7-8 7-9  
 isolated ring systems :  
 containing 1 :

G1:[\*1],[\*2],[\*3],[\*4],[\*5],[\*6]

Match level :  
 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS  
 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:Atom 18:CLASS 19:CLASS  
 20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS 25:CLASS 26:CLASS 34:CLASS 35:CLASS  
 36:CLASS 37:Atom

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 "Ask CAS" for self-help around the clock  
NEWS 3 JAN 27 Source of Registration (SR) information in REGISTRY updated  
 and searchable  
NEWS 4 JAN 27 A new search aid, the Company Name Thesaurus, available in  
 CA/Caplus  
NEWS 5 FEB 05 German (DE) application and patent publication number format  
 changes  
NEWS 6 MAR 03 MEDLINE and LMedLINE reloaded  
NEWS 7 MAR 03 MEDLINE file segment of TOXCENTER reloaded  
NEWS 8 MAR 03 FRANCEPAT now available on STN  
NEWS 9 MAR 29 Pharmaceutical Substances (PS) now available on STN  
NEWS 10 MAR 29 WPIFV now available on STN  
NEWS 11 MAR 29 No connect hour charges in WPIFV until May 1, 2004  
NEWS 12 MAR 29 New monthly current-awareness alert (SDI) frequency in RAPRA  
  
NEWS EXPRESS MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT  
 MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),  
 AND CURRENT DISCOVER FILE IS DATED 13 APRIL 2004  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS INTER General Internet Information  
NEWS LOGIN Welcome Banner and News Items  
NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 09:28:14 ON 23 APR 2004

=> file reg

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.47	1.47

FILE 'REGISTRY' ENTERED AT 09:32:24 ON 23 APR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 21 APR 2004 HIGHEST RN 676437-01-7

DICTIONARY FILE UPDATES: 21 APR 2004 HIGHEST RN 676437-01-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR

=> s l1

SAMPLE SEARCH INITIATED 09:42:46 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 6 TO ITERATE

100.0% PROCESSED 6 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 6 TO 266

PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS

DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y

FULL SEARCH INITIATED 09:42:50 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 83 TO ITERATE

100.0% PROCESSED 83 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

L3 0 SEA SSS FUL L1

=> file beilstein

COST IN U.S. DOLLARS

SINCE FILE TOTAL

ENTRY SESSION

FULL ESTIMATED COST

162.56 164.03

FILE 'BEILSTEIN' ENTERED AT 09:42:55 ON 23 APR 2004

COPYRIGHT (c) 2004 Beilstein-Institut zur Foerderung der Chemischen Wissenschaften  
licensed to Beilstein GmbH and MDL Information Systems GmbH

FILE RELOADED ON OCTOBER 20, 2002

FILE LAST UPDATED ON MARCH 30, 2004

FILE COVERS 1771 TO 2003.

**FILE CONTAINS 8,932,479 SUBSTANCES**

>>> PLEASE NOTE: Reaction data and substance data are stored in  
separate documents and can not be searched together in one  
query.

Reaction data for BEILSTEIN compounds may be displayed  
immediately with the display codes PRE (preparations) and REA

(reactions). A substance answer set retrieved after the search for a chemical name, a molecular formula or a structure search for example can be restricted to compounds with available reaction information by concatenation with PRE/FA, REA/FA or more general with RX/FA. The BEILSTEIN Registry Number (BRN) is the link between a BEILSTEIN compound and belonging reactions. For more detailed reaction searches BRNs can be selected from substance answer sets and searched in the next step as reaction partner BRNs - Reactant (RX.RBRN) or Product BRN (RX.PBRN). After a search for reaction details substance documents associated with reactants or products may be retrieved by searching RX.PBRNs or RX.RBRNs as BRNs. <<<

>>> FOR SEARCHING PREPARATIONS SEE HELP PRE <<<

```
*****
* PLEASE NOTE THAT THERE ARE NO FORMATS FREE OF COST.          *
* SET NOTICE FEATURE: THE COST ESTIMATES CALCULATED FOR SET NOTICE *
* ARE BASED ON THE HIGHEST PRICE CATEGORY. THEREFORE; THESE    *
* ESTIMATES MAY NOT REFLECT THE ACTUAL COSTS.                  *
* FOR PRICE INFORMATION SEE HELP COST                          *
*****
```

=> d his

(FILE 'HOME' ENTERED AT 09:28:14 ON 23 APR 2004)

FILE 'REGISTRY' ENTERED AT 09:32:24 ON 23 APR 2004

```
L1          STRUCTURE UPLOADED
L2          0 S L1
L3          0 S L1 FULL
```

FILE 'BEILSTEIN' ENTERED AT 09:42:55 ON 23 APR 2004

=> s ll

SAMPLE SEARCH INITIATED 09:43:02 FILE 'BEILSTEIN'  
SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS  
SEARCH TIME: 00.00.02

```
FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:   0 TO      0
PROJECTED ANSWERS:      0 TO      0
```

```
L4          0 SEA SSS SAM L1
```

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.06	164.09

FILE 'REGISTRY' ENTERED AT 09:43:07 ON 23 APR 2004  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file

provided by InfoChem.

STRUCTURE FILE UPDATES: 21 APR 2004 HIGHEST RN 676437-01-7  
 DICTIONARY FILE UPDATES: 21 APR 2004 HIGHEST RN 676437-01-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when  
 conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more  
 information enter HELP PROP at an arrow prompt in the file or refer  
 to the file summary sheet on the web at:  
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

L5 STRUCTURE UPLOADED

=> d 15

L5 HAS NO ANSWERS

L5 STR

=> s 15

SAMPLE SEARCH INITIATED 09:44:41 FILE 'REGISTRY'  
 SAMPLE SCREEN SEARCH COMPLETED - 29 TO ITERATE

100.0% PROCESSED 29 ITERATIONS  
 SEARCH TIME: 00.00.01

0 ANSWERS

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
 BATCH \*\*COMPLETE\*\*  
 PROJECTED ITERATIONS: 257 TO 903  
 PROJECTED ANSWERS: 0 TO 0

L6 0 SEA SSS SAM L5

=> s 15 full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS  
 DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y  
 FULL SEARCH INITIATED 09:44:45 FILE 'REGISTRY'  
 FULL SCREEN SEARCH COMPLETED - 570 TO ITERATE

100.0% PROCESSED 570 ITERATIONS  
 SEARCH TIME: 00.00.01

0 ANSWERS

L7 0 SEA SSS FUL L5

=>

L8 STRUCTURE UPLOADED

=> 18

L8 IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.  
 For a list of commands available to you in the current file, enter  
 "HELP COMMANDS" at an arrow prompt (=>).

=> d 18

L8 HAS NO ANSWERS

L8 STR

=> s 18

SAMPLE SEARCH INITIATED 09:45:42 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 29 TO ITERATE

100.0% PROCESSED 29 ITERATIONS 0 ANSWERS  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 257 TO 903  
PROJECTED ANSWERS: 0 TO 0

L9 0 SEA SSS SAM L8

=> s 18 full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS  
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y  
FULL SEARCH INITIATED 09:45:46 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 570 TO ITERATE

100.0% PROCESSED 570 ITERATIONS 10 ANSWERS  
SEARCH TIME: 00.00.01

L10 10 SEA SSS FUL L8

=> file hcaplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	312.10	476.19

FILE 'HCAPLUS' ENTERED AT 09:45:49 ON 23 APR 2004  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 23 Apr 2004 VOL 140 ISS 18  
FILE LAST UPDATED: 22 Apr 2004 (20040422/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 110

L11 7 L10

=> s 111 and bernardon, J?/au  
68 BERNARDON, J?/AU

L12 0 L11 AND BERNARDON, J?/AU

=> s l11 and diaz, p?/au  
602 DIAZ, P?/AU

L13 0 L11 AND DIAZ, P?/AU

=> d l11, ibib abs fhitr, 1-7

L11 ANSWER 1 OF 7 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
ACCESSION NUMBER:	2001:899884 HCAPLUS
DOCUMENT NUMBER:	136:183576
TITLE:	Structure of 1-(Arylselenyl)naphthalenes. 2. G Dependence in 8-G-1-(p-YC6H4Se)C10H6
AUTHOR(S):	Nakanishi, Waro; Hayashi, Satoko
CORPORATE SOURCE:	Department of Chemistry and Materials Science Faculty of Systems Engineering, Wakayama University, Sakaedani Wakayama, 640-8510, Japan
SOURCE:	Journal of Organic Chemistry (2002), 67(1), 38-48 CODEN: JOCEAH; ISSN: 0022-3263
PUBLISHER:	American Chemical Society
DOCUMENT TYPE:	Journal
LANGUAGE:	English
OTHER SOURCE(S):	CASREACT 136:183576

AB The structures of 8-G-1-(p-YC6H4Se)C10H6 (1 (G = Cl) and 2 (G = Br): Y = H (a), OMe (b), Me (c), Cl (d), Br (e), COOEt (f), and NO2 (g)) were investigated by x-ray crystallog. anal., NMR spectroscopy, and ab initio MO calcns. The structures of all members in 1 and 2 are concluded to be type B, which is in striking contrast to the type A structure for 4d-g (4 (g(n)), where G = H). The Se-Ci bond of the p-YC6H4Se group in 8-G-1-(p-YC6H4Se)C10H6 is almost perpendicular to the naphthyl plane in type A, and it is located on the plane in type B. The chlorine and bromine substitution at the 8-position in 1 and 2 dramatically changes the type A structure of 4 (g(n)) to type B. The nonbonded G- - -Se-C 3c-4e type interaction must contribute to stabilize the type B structure. The type B structure in 1 and 2 should also be more stabilized than the same structure in 4 by the 3c-4e type interaction: The structure of 4b is type B in the crystals and type B would be more stable for 4c and might be for 4a in solns. Ab initio MO calcns. are performed on 8-G-1-(p-YC6H4Se)C10H6, 8-G-C10H6SeH-1, and models HG- - -SeH2, where G = Cl, Br, and F, to clarify the reason for the dramatic change in the structures. The type B structure is optimized to be more stable than the type A for all species examd., which supports the observations. The energy differences between type B and type A are larger for the models than for the naphthalenes. While the superiority of the type B for the former is Br > Cl > F, that of the latter is Br ≈ Cl ≥ F. These results show that the main factor of the structural change from type A to type B is the nonbonded G- - -Se-C 3c-4e interaction. The electronic effect of halogens through the naphthalene π-framework would also contribute to some extent, although the direct comparison of the evaluated values between the naphthalene systems and the models is not so easy. Factors to stabilize the two structures of 1, 2, 4, and 8-(MeSe)-1-(p-YC6H4Se)C10H6 are reexamd. from a viewpoint of the nonbonded G- - -Se-C 3c-4e interaction (G dependence), together with the electronic effect of Y (Y dependence).


IT 399509-44-5P

RL: CPS (Chemical process); PEP (Physical, engineering or chemical process); PRP (Properties); SPN (Synthetic preparation); PREP (Preparation); PROC (Process)

(prepn. and ab initio MO calcn. of)

RN 399509-44-5 HCAPLUS

CN Benzoic acid, 4-[(8-chloro-1-naphthalenyl)seleno]-, ethyl ester (9CI) (CA INDEX NAME)



REFERENCE COUNT: 91 THERE ARE 91 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 2 OF 7 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
ACCESSION NUMBER:	2001:790438 HCAPLUS
DOCUMENT NUMBER:	136:199813
TITLE:	Structure of 1-(arylselanyl)naphthalenes - Y dependence in 1-(p- $\text{YC}_6\text{H}_4\text{Se}$ ) $\text{C}_{10}\text{H}_7$
AUTHOR(S):	Nakanishi, Waro; Hayashi, Satoko; Uehara, Tetsutaro
CORPORATE SOURCE:	Department of Material Science and Chemistry, Faculty of Systems Engineering, Wakayama University, Wakayama, 640-8510, Japan
SOURCE:	European Journal of Organic Chemistry (2001), (20), 3933-3943
PUBLISHER:	CODEN: EJOCFK; ISSN: 1434-193X
DOCUMENT TYPE:	Wiley-VCH Verlag GmbH
LANGUAGE:	Journal
	English

AB The structures of 1-(arylselanyl)naphthalenes, 1-(p- $\text{YC}_6\text{H}_4\text{Se}$ ) $\text{C}_{10}\text{H}_7$  [I, Y = H, OMe, Me, Cl, Br,  $\text{CO}_2\text{Et}$ ,  $\text{NO}_2$ ] were detd. The structures of I were well classified using types A, B, and C, where the Se-Car bond is placed almost perpendicular to the naphthyl plane in type A and is located on the plane in type B. The type C structure is intermediate between type A and type B. The structures of I [Y = Cl, Br,  $\text{CO}_2\text{Et}$ ] are demonstrated to be type A whereas that of I [Y = OMe] is type B by X-ray crystallog. anal. The type B conformer is suggested to be favorable in solns. for I [Y = H, Me] based on the NMR-spectroscopic data. The structure of I [Y =  $\text{NO}_2$ ] is assumed to be type A. These results show that the stable structure of I must be type A or type B, contrary to early observations of type C for 1,8-bis(alkyl- or arylchalcogeno)naphthalenes. Consequently, the solid state structure of I changes dramatically depending on Y. It is proposed that these structures can be explained by the electron affinities, together with the energies of LUMO and LUMO+1 of benzene, substituted benzene, and naphthalene, which are the components of I. In order to clarify the reason for the dramatic change in the structure of I with change in Y, ab initio MO calcns. were performed on I and related compds. The type A and type B conformations were optimized as stable mols. Although I [Y = H] (type A) is predicted to be more stable than I [Y = H] (type B) by 1.3 kJ mol<sup>-1</sup>, the latter becomes more stable than the former by 8.4 kJ mol<sup>-1</sup> if the solvent effects of chloroform are taken into account in the calcns.,

= Examine  
for  
operability




which was done by applying the IPCM method. The transition state between type A and type B in I [Y = H] is similar to type C, which must prevent the monotonic change in the structure of I. I would be in equil. between type A and type B in solns. The results of the MO calcns. on I suggest that type A is exclusive for I [Y = NO<sub>2</sub>], and probably exclusive for I [Y = CO<sub>2</sub>Et], and predominant for I [Y = Cl, Br], while type B is predominant for I [Y = OMe]. Type A and type B would be comparable for I [Y = H, Me].

IT 184034-56-8P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)  
(prepn. and substituent effect on the structure of 1-(arylselanyl)naphthalenes)

RN 184034-56-8 HCAPLUS

CN Benzoic acid, 4-(1-naphthalenylseleno)-, ethyl ester (9CI) (CA INDEX NAME)



REFERENCE COUNT: 73 THERE ARE 73 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 3 OF 7 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
-----------	-------------------

ACCESSION NUMBER:	1999:505214 HCAPLUS
DOCUMENT NUMBER:	131:271940
TITLE:	Novel Substituent Effect on <sup>77</sup> Se NMR Chemical Shifts Caused by 4c-6e versus 2c-4e and 3c-4e in Naphthalene Peri Positions: Spectroscopic and Theoretical Study
AUTHOR(S):	Hayashi, Satoko; Nakanishi, Waro
CORPORATE SOURCE:	Department of Material Science and Chemistry Faculty of Systems Engineering, Wakayama University, Wakayama, 640-8510, Japan
SOURCE:	Journal of Organic Chemistry (1999), 64(18), 6688-6696 CODEN: JOCEAH; ISSN: 0022-3263
PUBLISHER:	American Chemical Society
DOCUMENT TYPE:	Journal
LANGUAGE:	English

AB  $\delta(8\text{Se})$  values for 1-[8-(p-YC<sub>6</sub>H<sub>4</sub>Se)C<sub>10</sub>H<sub>6</sub>]SeSe[C<sub>10</sub>H<sub>6</sub>(SeC<sub>6</sub>H<sub>4</sub>Y-p)-8']-1' (1: Y = H, OMe, Me, Cl, Br, COOEt, and NO<sub>2</sub>) showed a good correlation with those of 1-(MeSe)-8-(p-YC<sub>6</sub>H<sub>4</sub>Se)C<sub>10</sub>H<sub>6</sub> (2). While the  $\delta(1\text{Se})$  values correlated well with  $\delta(8\text{Se})$  in 2 with a pos. proportionality const. of 0.252 (regular correlation), a similar correlation for 1 gave a neg. proportionality const. of -0.282 (inverse correlation). To clarify the mechanism assocd. with the inverse correlation in 1, together with the regular correlation in 2, ab initio MO calcns., contg. the GIAO magnetic shielding tensor for the Se nucleus ( $\sigma(\text{Se})$ ), were performed on p-YC<sub>6</sub>H<sub>4</sub>ASeH- - BSeH-BSeH- - HAsC<sub>6</sub>H<sub>4</sub>Y-p (3: model of Se<sub>4</sub> 4c-6e for 1) and on p-YC<sub>6</sub>H<sub>4</sub>ASeH- - BSeH<sub>2</sub> (4 and 5: models of Se<sub>2</sub>  $\pi$  type 2c-4e and


ASe- - BSe-H 3c-4e for 2, resp.) with the 6-311+G(2d,p) basis sets at B3LYP and/or HF levels. The characteristic nature of the substituent effects on at. charges and  $\delta(\text{Se})$  values in 3 is demonstrated to be  $\text{Y}\delta\leftarrow\text{C}_6\text{H}_4\text{-Se}\delta+\text{- - -Se}\delta+\text{-Se}\delta+\text{- - -Se}\delta+\text{-C}_6\text{H}_4\rightarrow\text{Y}\delta\text{-}$  and  $\text{Y}\delta\leftarrow\text{C}_6\text{H}_4\text{-Sedown- - -Seup-Seup- - -Sedown-C}_6\text{H}_4\rightarrow\text{Y}\delta\text{-}$ , resp., (Y = electron-withdrawing) and in 5 is  $\text{Y}\delta\leftarrow\text{C}_6\text{H}_4\text{-Se}\delta+\text{- - -Se}\delta\text{-H}\delta+$  and  $\text{Y}\delta\leftarrow\text{C}_6\text{H}_4\text{-Sedown- - -Sedown-Hdown}$ , resp. In the case of 4, a substantial contribution through the naphthylidene group is suggested. These results indicate that the nature of the interaction between the linear four Se atoms in 1 is of the 4c-6e type and that between the two Se atoms in 2 is  $\pi$  type 2c-4e and/or 3c-4e according to the conformations around the Se atoms. The obsd. NMR parameters are well explained by model calcns. on 3-5. Plots of  $4J(1\text{Se}, 8\text{Se})$  vs.  $\delta(8\text{Se})$  of 1 and 2 gave good correlations with neg. proportionality consts., which indicates that the J values become larger as the electron d. on the 8Se atoms increases.

IT 184034-43-3P

RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(spectroscopic and theor. study of novel substituent effect on selenium NMR chem. shifts caused by 4center-6electron vs. 2center-4electron and 3center-4electron in naphthalene peri positions)

RN 184034-43-3 HCAPLUS

CN Benzoic acid, 4,4'-[diselenobis(8,1-naphthalenediyl)seleno]]bis-, diethyl ester (9CI) (CA INDEX NAME)



REFERENCE COUNT: 55 THERE ARE 55 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 4 OF 7 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
-----------	-------------------

ACCESSION NUMBER:	1999:439061 HCAPLUS
DOCUMENT NUMBER:	131:228777
TITLE:	Structural Study of Aryl Selenides in Solution Based on $^{77}\text{Se}$ NMR Chemical Shifts: Application of the GIAO Magnetic Shielding Tensor of the $^{77}\text{Se}$ Nucleus
AUTHOR(S):	Nakanishi, Waro; Hayashi, Satoko
CORPORATE SOURCE:	Department of Material Science and Chemistry Faculty of Systems Engineering, Wakayama University, Sakaedani Wakayama, 640-8510, Japan
SOURCE:	Journal of Physical Chemistry A (1999), 103(31), 6074-6081

CODEN: JPCAFH; ISSN: 1089-5639

PUBLISHER: American Chemical Society  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English

AB The  $^{77}\text{Se}$  NMR chem. shifts ( $\delta_{\text{obsd}}(\text{Se})$ ) of p- $\text{YC}_6\text{H}_4\text{SeMe}$  (1: Y = H (a), OMe (b), Me (c), Cl (d), Br (e), COOR (f), and NO<sub>2</sub> (g)) and p- $\text{YC}_6\text{H}_4\text{SePh}$  (2) were detd. or redetd. in chloroform-d. The  $\delta_{\text{obsd}}(\text{Se})$  values of 2, p- $\text{YC}_6\text{H}_4\text{SeR}$  [R = CN (3), Bz (4), H (5), Br (6), Et (7),  $\text{C}_6\text{H}_4\text{Y-p}$  (8), CH:CH<sub>2</sub> (9), CH:CHCl-t (10), and CHCH<sub>2</sub>CCl<sub>2</sub>-cyclo (11)], 1,1'-[8-(p- $\text{YC}_6\text{H}_4\text{Se}$ ) $\text{C}_{10}\text{H}_6\text{Se}$ ]<sub>2</sub> (12), and 1-(MeSe)-8-(p- $\text{YC}_6\text{H}_4\text{Se}$ ) $\text{C}_{10}\text{H}_6$  (13) were plotted against those of 1. The plots were analyzed as two correlations. For example, the points corresponding to a-c make a group (g(m)), and those of d-g belong to another one (g(n)). This must be a reflection of the differences in the dihedral angles between the aryl rings and the Se-R bonds, which should result in the different contributions of the inductive and mesomeric effects of the substituents Y on the  $\delta_{\text{obsd}}(\text{Se})$  values. After reexamn. of the applicability of the GIAO magnetic shielding tensor for the Se nucleus ( $\sigma(\text{Se})$ ) in Se compds. of various structures,  $\sigma(\text{Se})$  was calcd. for the model compds., 5, with the B3LYP/6-311+G(d,p) method, to explain the  $\delta_{\text{obsd}}(\text{Se})$  values of 1-13 uniformly:  $\delta_{\text{calcd}}(\text{Se})$  was defined as  $-(\sigma(\text{Se}) - \sigma(\text{Se})\text{MeSeMe})$ . Each selenol was optimized to be the planar structure (14) or the perpendicular one (15). New parameters were devised such as  $\delta_{\text{calcd}}(\text{Se}:\theta\text{B}) = (1 - \sin \theta\text{B})\delta_{\text{calcd}}(\text{Se})_{14} + \sin(\theta\text{B})\delta_{\text{calcd}}(\text{Se})_{15}$ . The  $\delta_{\text{obsd}}(\text{Se})$  values of 1-13 correlated well with the new parameters,  $\delta_{\text{calcd}}(\text{Se}:\theta\text{B})$ , which gave the best-fitted  $\theta\text{B}$  values. The structures of 1-13 in solns. were explained uniformly by the evaluated  $\theta\text{B}$  values. The obsd. ratios of the slopes for g(m) vs. those of g(n) were also correlated with the  $\theta\text{B}$  values.


IT 184034-43-3

RL: PRP (Properties)

(structural study of aryl selenides in soln. based on Se NMR chem. shifts and application of the GIAO magnetic shielding tensor of the  $^{77}\text{Se}$  nucleus)

RN 184034-43-3 HCAPLUS

CN Benzoic acid, 4,4'-[diselenobis(8,1-naphthalenediylseleno)]bis-, diethyl ester (9CI) (CA INDEX NAME)



REFERENCE COUNT:


43

THERE ARE 43 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L11 ANSWER 5 OF 7 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
-----------	-------------------

ACCESSION NUMBER: 1996:680465 HCAPLUS  
 DOCUMENT NUMBER: 126:18962  
 TITLE: Inverse substituent effect on  $^{77}\text{Se}$  NMR chemical shifts in naphthalene systems with linear 4c-6e  $\text{Se}_4$  bond: 1-[8-(p- $\text{YC}_6\text{H}_4\text{Se}$ ) $\text{C}_{10}\text{H}_6$ ] $\text{SeSe}[\text{C}_{10}\text{H}_6(\text{SeC}_6\text{H}_4\text{Y-p})$ -8']-1' vs. 1-(MeSe)-8-(p- $\text{YC}_6\text{H}_4\text{Se}$ ) $\text{C}_{10}\text{H}_6$   
 AUTHOR(S): Nakanishi, Waro; Hayashi, Satoko; Yamaguchi, Hitomi  
 CORPORATE SOURCE: Dep. Chem., Wakayama Univ., Wakayama, 640, Japan  
 SOURCE: Chemistry Letters (1996), (11), 947-948  
 CODEN: CMLTAG; ISSN: 0366-7022  
 PUBLISHER: Nippon Kagakkai  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English  
 GI



I



II

103(a)

AB The substituent effect on  $\delta(1\text{Se})$  vs.  $\delta(8\text{Se})$  in bis[8-(arylselanyl)naphthyl] diselenides (I, X = OMe, Me, H, Cl, Br, CO<sub>2</sub>Et, NO<sub>2</sub>) was opposite to that for 1-(methylselenyl)-8-(phenylselenyl)naphthalene II (R = SeMe, H) and its p-substituted derivs. The observation must be the reflection of the 4c-6e interaction between the p-orbitals of the four Se atoms in I.

IT 184034-43-3


RL: PRP (Properties)

(selenium-77 NMR chem. shifts and an inverse substituent effect)

RN 184034-43-3 HCAPLUS

CN Benzoic acid, 4,4'-[diselenobis(8,1-naphthalenediylseleno)]bis-, diethyl ester (9CI) (CA INDEX NAME)


Protected Group = 103(a)  
 also 103(a) for Seus



L11 ANSWER 6 OF 7 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Citing  
Text References

ACCESSION NUMBER: 1992:571583 HCAPLUS  
DOCUMENT NUMBER: 117:171583  
TITLE: Efficient selenation of quinones: synthesis of novel benzo[b]naphtho[2,3-e]selenintrione and dibenzo[b,e]seleninone  
AUTHOR(S): Sakakibara, Makoto; Toru, Takeshi; Imai, Takahiro; Watanabe, Yoshihiko; Ueno, Yoshio  
CORPORATE SOURCE: Dep. Appl. Chem., Nagoya Inst. Technol., Nagoya, 466, Japan  
SOURCE: Bulletin of the Chemical Society of Japan (1992), 65(5), 1291-4  
CODEN: BCSJA8; ISSN: 0009-2673  
DOCUMENT TYPE: Journal  
LANGUAGE: English  
OTHER SOURCE(S): CASREACT 117:171583  
GI




AB Selenation of 2-bromonaphthoquinone with an areneselenolate ion generated from (2-MeO<sub>2</sub>CC<sub>6</sub>H<sub>4</sub>)<sub>2</sub>Se<sub>2</sub>, Ph<sub>2</sub>PCl, and LiOH afforded 2-[[2-(methoxycarbonyl)phenyl]seleno]-1,4-naphthoquinone (I), from which 12H-benzo[b]naphtho[2,3-e]selenin-6,11,12-trione (II) was synthesized in 5 steps. 1,4-Dimethoxy-2,3-dimethyl-10H-dibenzo[b,e]selenin-10-one was prepd. starting from 6-bromo-2,3-dimethylbenzoquinone through the selenation and cyclization steps.

IT **143716-11-4P**

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(prepn. and cyclization of)

RN 143716-11-4 HCAPLUS


CN Benzoic acid, 2-[(1,4-dimethoxy-2-naphthalenyl)seleno]- (9CI) (CA INDEX NAME)



L11 ANSWER 7 OF 7 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
-----------	-------------------

ACCESSION NUMBER: 1957:22650 HCAPLUS  
 DOCUMENT NUMBER: 51:22650  
 ORIGINAL REFERENCE NO.: 51:4559e-h  
 TITLE: Anti-tumor substances. I. Effect of some organic selenium compounds on the Ehrlich ascites carcinoma  
 AUTHOR(S): Takeda, Kenichi; Nishimura, Haruo; Shimaoka, Noboru; Noguchi, Ranko; Nakajima, Kiyoshi  
 CORPORATE SOURCE: Shionogi Research Lab., Amagasaki, Hyogo  
 SOURCE: Ann. Rept. Shionogi Research Lab. (1955), 5, 1-16  
 DOCUMENT TYPE: Journal  
 LANGUAGE: Unavailable  
 GI For diagram(s), see printed CA Issue.  
 AB Ten kinds of org. Se compds. were synthesized and their actions on the intraperitoneal Ehrlich ascitic form of tumors were tested. Of these compds. the following were active: 5,6-dihydro-5,5-dimethyl-4H-2,1,3-benzoxaselenazol-7(7aH)-one oxime, benzoselenazole-1/2H2SO4, I and II. II is most active, superior even to nitrogen-mustard N-oxide. The effect of compds. on the intraperitoneal Ehrlich ascitic form is a particularly satisfactory way to obtain the S.D.50 in screening tests.  
 IT 119248-56-5, 2-Naphthoic acid, 4,4'-selenobis[3-hydroxy- (effect on carcinoma)  
 RN 119248-56-5 HCAPLUS  
 CN 2-Naphthoic acid, 4,4'-selenobis[3-hydroxy- (6CI) (CA INDEX NAME)



=&gt; file caold

COST IN U.S. DOLLARS

SINCE FILE ENTRY	TOTAL SESSION
35.66	511.85

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE ENTRY	TOTAL SESSION
-4.85	-4.85

CA SUBSCRIBER PRICE

FILE 'CAOLD' ENTERED AT 09:46:38 ON 23 APR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966

FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> d his

(FILE 'HOME' ENTERED AT 09:28:14 ON 23 APR 2004)

FILE 'REGISTRY' ENTERED AT 09:32:24 ON 23 APR 2004

L1 STRUCTURE UPLOADED  
L2 0 S L1  
L3 0 S L1 FULL

FILE 'BEILSTEIN' ENTERED AT 09:42:55 ON 23 APR 2004

L4 0 S L1

FILE 'REGISTRY' ENTERED AT 09:43:07 ON 23 APR 2004

L5 STRUCTURE UPLOADED  
L6 0 S L5  
L7 0 S L5 FULL  
L8 STRUCTURE UPLOADED  
L9 0 S L8  
L10 10 S L8 FULL

FILE 'HCAPLUS' ENTERED AT 09:45:49 ON 23 APR 2004

L11 7 S L10  
L12 0 S L11 AND BERNARDON, J?/AU  
L13 0 S L11 AND DIAZ, P?/AU

FILE 'CAOLD' ENTERED AT 09:46:38 ON 23 APR 2004

=> s l10

L14 1 L10


=> d l14, all, 1

L14 ANSWER 1 OF 1 CAOLD COPYRIGHT 2004 ACS on STN  
AN CA51:4559f CAOLD  
TI antitumor substances - (I) effect of org. Se compds. on the Ehrlich  
ascites carcinoma  
AU Takeda, Kenichi; Nishimura, H.; Shimaoka, N.; Noguchi, R.; Nakajima, K.  
IT 273-15-4 273-91-6 1123-91-7 2818-88-4 114353-69-4 118802-56-5  
119248-56-5 121621-29-2 121623-43-6

=> fil reg; d acc 119248-56-5; fil CAOLD

FILE 'REGISTRY' ENTERED AT 09:46:53 ON 23 APR 2004

ANSWER 1 REGISTRY COPYRIGHT 2004 ACS on STN  
 RN 119248-56-5 REGISTRY  
 CN 2-Naphthoic acid, 4,4'-selenobis[3-hydroxy- (6CI) (CA INDEX NAME)  
 MF C22 H14 O6 Se  
 SR CAOLD  
 LC STN Files: BEILSTEIN\*, CA, CAOLD, CAPLUS, TOXCENTER  
 (\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)  
 1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

FILE 'CAOLD' ENTERED AT 09:46:53 ON 23 APR 2004

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.42	515.50
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-4.85

FILE 'REGISTRY' ENTERED AT 09:47:01 ON 23 APR 2004  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "[HELP USAGETERMS](#)" FOR DETAILS.  
 COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 21 APR 2004 HIGHEST RN 676437-01-7  
 DICTIONARY FILE UPDATES: 21 APR 2004 HIGHEST RN 676437-01-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See [HELP CROSSOVER](#) for details.



Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:  
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

L15        STRUCTURE UPLOADED

=> l15

L15 IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.  
 For a list of commands available to you in the current file, enter  
"HELP COMMANDS" at an arrow prompt (=>).

=> d l15

L15 HAS NO ANSWERS

L15        STR

=> s l15

SAMPLE SEARCH INITIATED 09:47:51 FILE 'REGISTRY'  
 SAMPLE SCREEN SEARCH COMPLETED -     949 TO ITERATE

100.0% PROCESSED     949 ITERATIONS  
 SEARCH TIME: 00.00.01

49 ANSWERS

FULL FILE PROJECTIONS:    ONLINE    \*\*COMPLETE\*\*  
                                      BATCH    \*\*COMPLETE\*\*

PROJECTED ITERATIONS:        17132 TO     20828  
 PROJECTED ANSWERS:            560 TO        1400

L16        49 SEA SSS SAM L15

=> s l15 full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS  
 DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y  
 FULL SEARCH INITIATED 09:47:56 FILE 'REGISTRY'  
 FULL SCREEN SEARCH COMPLETED -   18609 TO ITERATE

100.0% PROCESSED    18609 ITERATIONS  
 SEARCH TIME: 00.00.01

1148 ANSWERS

L17        1148 SEA SSS FUL L15

=> d his

(FILE 'HOME' ENTERED AT 09:28:14 ON 23 APR 2004)

FILE 'REGISTRY' ENTERED AT 09:32:24 ON 23 APR 2004

L1        STRUCTURE UPLOADED

L2        0 S L1

L3        0 S L1 FULL

FILE 'BEILSTEIN' ENTERED AT 09:42:55 ON 23 APR 2004

L4        0 S L1

FILE 'REGISTRY' ENTERED AT 09:43:07 ON 23 APR 2004

L5        STRUCTURE UPLOADED

L6        0 S L5

L7        0 S L5 FULL

L8        STRUCTURE UPLOADED

```

L9          0 S L8
L10         10 S L8 FULL

FILE 'HCAPLUS' ENTERED AT 09:45:49 ON 23 APR 2004
L11         7 S L10
L12         0 S L11 AND BERNARDON, J?/AU
L13         0 S L11 AND DIAZ, P?/AU

FILE 'CAOLD' ENTERED AT 09:46:38 ON 23 APR 2004
L14         1 S L10

FILE 'REGISTRY' ENTERED AT 09:46:53 ON 23 APR 2004

FILE 'CAOLD' ENTERED AT 09:46:53 ON 23 APR 2004

FILE 'REGISTRY' ENTERED AT 09:47:01 ON 23 APR 2004
L15         STRUCTURE UPLOADED
L16         49 S L15
L17         1148 S L15 FULL

=>
L18         STRUCTURE UPLOADED

=> 118
L18 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> d 118
L18 HAS NO ANSWERS
L18         STR

=> s 118
SAMPLE SEARCH INITIATED 09:48:42 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -      827 TO ITERATE

100.0% PROCESSED      827 ITERATIONS                      46 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:   14815 TO    18265
PROJECTED ANSWERS:      514 TO     1326

L19         46 SEA SSS SAM L18

=> s 118 full
THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y
FULL SEARCH INITIATED 09:48:47 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 16454 TO ITERATE

100.0% PROCESSED    16454 ITERATIONS                      1072 ANSWERS
SEARCH TIME: 00.00.01

L20         1072 SEA SSS FUL L18

=> d his

```

(FILE 'HOME' ENTERED AT 09:28:14 ON 23 APR 2004)

FILE 'REGISTRY' ENTERED AT 09:32:24 ON 23 APR 2004

L1           STRUCTURE UPLOADED  
L2           0 S L1  
L3           0 S L1 FULL

FILE 'BEILSTEIN' ENTERED AT 09:42:55 ON 23 APR 2004

L4           0 S L1

FILE 'REGISTRY' ENTERED AT 09:43:07 ON 23 APR 2004

L5           STRUCTURE UPLOADED  
L6           0 S L5  
L7           0 S L5 FULL  
L8           STRUCTURE UPLOADED  
L9           0 S L8  
L10          10 S L8 FULL

FILE 'HCAPLUS' ENTERED AT 09:45:49 ON 23 APR 2004

L11          7 S L10  
L12          0 S L11 AND BERNARDON, J?/AU  
L13          0 S L11 AND DIAZ, P?/AU

FILE 'CAOLD' ENTERED AT 09:46:38 ON 23 APR 2004

L14          1 S L10

FILE 'REGISTRY' ENTERED AT 09:46:53 ON 23 APR 2004

FILE 'CAOLD' ENTERED AT 09:46:53 ON 23 APR 2004

FILE 'REGISTRY' ENTERED AT 09:47:01 ON 23 APR 2004

L15          STRUCTURE UPLOADED  
L16          49 S L15  
L17          1148 S L15 FULL  
L18          STRUCTURE UPLOADED  
L19          46 S L18  
L20          1072 S L18 FULL

=> s l20 not l10

L21          1072 L20 NOT L10

=> file hcaplus

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	311.26	826.76
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-4.85

FILE 'HCAPLUS' ENTERED AT 09:49:02 ON 23 APR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 23 Apr 2004 VOL 140 ISS 18  
FILE LAST UPDATED: 22 Apr 2004 (20040422/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 121

L22 570 L21

=> s 122 and bernardon, j?/au

68 BERNARDON, J?/AU

L23 1 L22 AND BERNARDON, J?/AU

=> d 123, ibib abs fhitr, 1

L23 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2004 ACS on STN


Full Citing  
Text References

ACCESSION NUMBER: 1999:811209 HCAPLUS  
DOCUMENT NUMBER: 132:35910  
TITLE: Preparation of diaryl selenide compounds and their use in human or veterinary medicine and in cosmetics  
INVENTOR(S): **Bernardon, Jean-Michel**; Diaz, Philippe  
PATENT ASSIGNEE(S): Galderma Research & Development, S.N.C., Fr.  
SOURCE: PCT Int. Appl., 81 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: French  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9965872	A1	19991223	WO 1999-FR1389	19990611
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
FR 2779720	A1	19991217	FR 1998-7439	19980612
FR 2779720	B1	20020816		
CA 2334843	AA	19991223	CA 1999-2334843	19990611
AU 9940491	A1	20000105	AU 1999-40491	19990611
AU 753187	B2	20021010		
EP 1086080	A1	20010328	EP 1999-923723	19990611
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
BR 9911833	A	20010925	BR 1999-11833	19990611
JP 2002518371	T2	20020625	JP 2000-554699	19990611

<u>ZA 2000006518</u>	A	20010730	<u>ZA 2000-6518</u>	20001110
<u>NO 2000006337</u>	A	20010212	<u>NO 2000-6337</u>	20001212
PRIORITY APPLN. INFO.:			<u>FR 1998-7439</u>	A 19980612
			<u>WO 1999-FR1389</u>	W 19990611

OTHER SOURCE(S):                    MARPAT 132:35910  
GI



AB The invention concerns novel diaryl selenide compds. corresponding to I and their geometric and optical isomers and salts and the use thereof in pharmaceutical compns. in human or veterinary medicine (in the treatment of dermatol., rheumatic, cardiovascular and ophthalmol. pathologies in particular), or in cosmetic compns. In I, R1 = Me, CH2OR5 (R5 = H, lower alkyl, C(O)R10 (R10 = lower alkyl)), C(O)R6 (R6 = H, lower alkyl, OR12 (R12 = H, lower alkyl, aryl, aralkyl possibly substituted, monohydroxyalkyl, polyhydroxyalkyl), NR'R'' (R'/R'' = H, lower alkyl, aryl possibly substituted, amino acid fragment; R' and R'' together with N form a heterocycle)); Ar = R7-substituted benzene or pyridine diradical (R7 = H, halogen, lower alkyl, nitro, OR13 (R13 = H, lower alkyl), polyether radical, NR14R15 (R14/R15 = H, lower alkyl)), diradicals of furan, thiophene or thiazole; R2/R3 = H, tBu, 1-methylcyclohexyl, 1-adamantyl, OR8 (R8 = H, lower alkyl, aryl possibly substituted, aralkyl possibly substituted, monohydroxyalkyl, polyhydroxyalkyl, lower alkyl), polyether radical, where at least one of R2 or R3 = tBu, 1-methylcyclohexyl, 1-adamantyl; R2 and R3 may together with an adjacent arom. ring form a satd. 5- or 6-membered ring possibly substituted by Me groups and/or possibly interrupted by O or S; R4 = H, halogen, lower alkyl, OR9 (R9 = H, lower alkyl, aryl possibly substituted, aralkyl possibly substituted, monohydroxyalkyl, polyhydroxyalkyl, lower alkyl, (CH2)nCO2R16 (R16 = H, lower alkyl; n = 1-12), (CH2)nX (X = halogen)), polyether radical, C(O)R10. Although the method of prepn. is not claimed, 70 example prepn. are included. In a typical prepn., a haloarene (e.g. 2-bromo-5,6,7,8-tetrahydro-3,5,5,8,8-pentamethylnaphthalene) is successively reacted with tBuLi in THF, Se, and NaOH in EtOH to give a diselenide, which is cleaved with NaBH4 in EtOH to give the Na salt of an areneselenol, which is undergoes metathesis with IR1 or BrR1 (e.g. Et 4-iodobenzoate) in the presence of NiBr2py2 in EtOH to give I (e.g. Et 4-(3,5,5,8,8-pentamethyl-5,6,7,8-tetrahydronaphthalen-2-ylselenenyl)benzoate).


IT **252352-01-5P**, 3-(4-tert-Butylphenylselenenyl)benzoic acid

RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of diaryl selenide compds. and use in human or veterinary medicine and in cosmetics)

RN 252352-01-5 HCAPLUS

CN Benzoic acid, 3-[[4-(1,1-dimethylethyl)phenyl]seleno]- (9CI) (CA INDEX NAME)



REFERENCE COUNT:

13

THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS

## RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=&gt; file uspatful

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	7.12	833.88
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-0.69	-5.54

FILE 'USPATFULL' ENTERED AT 09:49:35 ON 23 APR 2004

CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 22 Apr 2004 (20040422/PD)

FILE LAST UPDATED: 22 Apr 2004 (20040422/ED)

HIGHEST GRANTED PATENT NUMBER: US6725463

HIGHEST APPLICATION PUBLICATION NUMBER: US2004078858

CA INDEXING IS CURRENT THROUGH 22 Apr 2004 (20040422/UPCA)

ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 22 Apr 2004 (20040422/PD)

REVISED CLASS FIELDS (/NCL) LAST RELOADED: Feb 2004

USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Feb 2004

```

>>> USPAT2 is now available.  USPATFULL contains full text of the      <<<
>>> original, i.e., the earliest published granted patents or          <<<
>>> applications.  USPAT2 contains full text of the latest US          <<<
>>> publications, starting in 2001, for the inventions covered in      <<<
>>> USPATFULL.  A USPATFULL record contains not only the original      <<<
>>> published document but also a list of any subsequent                <<<
>>> publications.  The publication number, patent kind code, and        <<<
>>> publication date for all the US publications for an invention      <<<
>>> are displayed in the PI (Patent Information) field of USPATFULL    <<<
>>> records and may be searched in standard search fields, e.g., /PN, <<<
>>> /PK, etc.                                                            <<<

```

```

>>> USPATFULL and USPAT2 can be accessed and searched together        <<<
>>> through the new cluster USPATALL.  Type FILE USPATALL to          <<<
>>> enter this cluster.                                                <<<
>>>                                                                    <<<
>>> Use USPATALL when searching terms such as patent assignees,        <<<
>>> classifications, or claims, that may potentially change from      <<<
>>> the earliest to the latest publication.                             <<<

```

This file contains CAS Registry Numbers for easy and accurate  
substance identification.

=&gt; file uspatfull

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.35	835.23
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-5.54

FILE 'USPATFULL' ENTERED AT 09:49:39 ON 23 APR 2004

CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 22 Apr 2004 (20040422/PD)

FILE LAST UPDATED: 22 Apr 2004 (20040422/ED)  
 HIGHEST GRANTED PATENT NUMBER: US6725463  
 HIGHEST APPLICATION PUBLICATION NUMBER: US2004078858  
 CA INDEXING IS CURRENT THROUGH 22 Apr 2004 (20040422/UPCA)  
 ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 22 Apr 2004 (20040422/PD)  
 REVISED CLASS FIELDS (/NCL) LAST RELOADED: Feb 2004  
 USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Feb 2004

```
>>> USPAT2 is now available.  USPATFULL contains full text of the      <<<
>>> original, i.e., the earliest published granted patents or         <<<
>>> applications.  USPAT2 contains full text of the latest US        <<<
>>> publications, starting in 2001, for the inventions covered in     <<<
>>> USPATFULL.  A USPATFULL record contains not only the original    <<<
>>> published document but also a list of any subsequent              <<<
>>> publications.  The publication number, patent kind code, and      <<<
>>> publication date for all the US publications for an invention    <<<
>>> are displayed in the PI (Patent Information) field of USPATFULL  <<<
>>> records and may be searched in standard search fields, e.g., /PN, <<<
>>> /PK, etc.                                                         <<<

>>> USPATFULL and USPAT2 can be accessed and searched together      <<<
>>> through the new cluster USPATALL.  Type FILE USPATALL to         <<<
>>> enter this cluster.                                              <<<
>>>                                                                    <<<
>>> Use USPATALL when searching terms such as patent assignees,      <<<
>>> classifications, or claims, that may potentially change from     <<<
>>> the earliest to the latest publication.                          <<<
```

This file contains CAS Registry Numbers for easy and accurate  
 substance identification.

=> d his

(FILE 'HOME' ENTERED AT 09:28:14 ON 23 APR 2004)

FILE 'REGISTRY' ENTERED AT 09:32:24 ON 23 APR 2004

```
L1      STRUCTURE UPLOADED
L2      0 S L1
L3      0 S L1 FULL
```

FILE 'BEILSTEIN' ENTERED AT 09:42:55 ON 23 APR 2004

```
L4      0 S L1
```

FILE 'REGISTRY' ENTERED AT 09:43:07 ON 23 APR 2004

```
L5      STRUCTURE UPLOADED
L6      0 S L5
L7      0 S L5 FULL
L8      STRUCTURE UPLOADED
L9      0 S L8
L10     10 S L8 FULL
```

FILE 'HCAPLUS' ENTERED AT 09:45:49 ON 23 APR 2004

```
L11     7 S L10
L12     0 S L11 AND BERNARDON, J?/AU
L13     0 S L11 AND DIAZ, P?/AU
```

FILE 'CAOLD' ENTERED AT 09:46:38 ON 23 APR 2004

```
L14     1 S L10
```

FILE 'REGISTRY' ENTERED AT 09:46:53 ON 23 APR 2004

FILE 'CAOLD' ENTERED AT 09:46:53 ON 23 APR 2004

FILE 'REGISTRY' ENTERED AT 09:47:01 ON 23 APR 2004

```
L15      STRUCTURE UPLOADED
L16      49 S L15
L17      1148 S L15 FULL
L18      STRUCTURE UPLOADED
L19      46 S L18
L20      1072 S L18 FULL
L21      1072 S L20 NOT L10
```

FILE 'HCAPLUS' ENTERED AT 09:49:02 ON 23 APR 2004

```
L22      570 S L21
L23      1 S L22 AND BERNARDON, J?/AU
```

FILE 'USPATFULL' ENTERED AT 09:49:35 ON 23 APR 2004

FILE 'USPATFULL' ENTERED AT 09:49:39 ON 23 APR 2004

=> s l21

```
L24      45 L21
```

=> s l24 and bernardon, j?/au

```
          90 BERNARDON, J?/AU
L25      0 L24 AND BERNARDON, J?/AU
```

=> s l24 and diaz, p?/au

```
          27 DIAZ, P?/AU
L26      0 L24 AND DIAZ, P?/AU
```

=> file hcaplus

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	22.79	858.02
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-5.54

FILE 'HCAPLUS' ENTERED AT 09:50:13 ON 23 APR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 23 Apr 2004 VOL 140 ISS 18

FILE LAST UPDATED: 22 Apr 2004 (20040422/ED)

This file contains CAS Registry Numbers for easy and accurate



substance identification.

=> d his

(FILE 'HOME' ENTERED AT 09:28:14 ON 23 APR 2004)

FILE 'REGISTRY' ENTERED AT 09:32:24 ON 23 APR 2004

L1 STRUCTURE UPLOADED

L2 0 S L1

L3 0 S L1 FULL

FILE 'BEILSTEIN' ENTERED AT 09:42:55 ON 23 APR 2004

L4 0 S L1

FILE 'REGISTRY' ENTERED AT 09:43:07 ON 23 APR 2004

L5 STRUCTURE UPLOADED

L6 0 S L5

L7 0 S L5 FULL

L8 STRUCTURE UPLOADED

L9 0 S L8

L10 10 S L8 FULL

FILE 'HCAPLUS' ENTERED AT 09:45:49 ON 23 APR 2004

L11 7 S L10

L12 0 S L11 AND BERNARDON, J?/AU

L13 0 S L11 AND DIAZ, P?/AU

FILE 'CAOLD' ENTERED AT 09:46:38 ON 23 APR 2004

L14 1 S L10

FILE 'REGISTRY' ENTERED AT 09:46:53 ON 23 APR 2004

FILE 'CAOLD' ENTERED AT 09:46:53 ON 23 APR 2004

FILE 'REGISTRY' ENTERED AT 09:47:01 ON 23 APR 2004

L15 STRUCTURE UPLOADED

L16 49 S L15

L17 1148 S L15 FULL

L18 STRUCTURE UPLOADED

L19 46 S L18

L20 1072 S L18 FULL

L21 1072 S L20 NOT L10

FILE 'HCAPLUS' ENTERED AT 09:49:02 ON 23 APR 2004

L22 570 S L21

L23 1 S L22 AND BERNARDON, J?/AU

FILE 'USPATFULL' ENTERED AT 09:49:35 ON 23 APR 2004

FILE 'USPATFULL' ENTERED AT 09:49:39 ON 23 APR 2004

L24 45 S L21

L25 0 S L24 AND BERNARDON, J?/AU

L26 0 S L24 AND DIAZ, P?/AU

FILE 'HCAPLUS' ENTERED AT 09:50:13 ON 23 APR 2004

=> s l21 and diaz, p?/au

570 L21

602 DIAZ, P?/AU

L27 2 L21 AND DIAZ, P?/AU

=> s 127 not 123

L28 1 L27 NOT L23

=> d 128, ibib abs fhitr, 1

L28 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
-----------	-------------------

ACCESSION NUMBER: 2000:338377 HCAPLUS

DOCUMENT NUMBER: 133:89593

TITLE: Solution-Phase Synthesis of Diaryl Selenides Using Polymer-Supported Borohydride

AUTHOR(S): Millois, Corinne; Diaz, Philippe

CORPORATE SOURCE: GALDERMA RD, Sophia-Antipolis, F06902, Fr.

SOURCE: Organic Letters (2000), 2(12), 1705-1708

CODEN: ORLEF7; ISSN: 1523-7060

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 133:89593


AB A new series of selenium-contg. diaryl retinoids have been prepd. by a new direct nickel(II)-catalyzed coupling of a diselenide with an iodoaryl in the presence of polymer-supported borohydride. Thus, (bpy)<sub>2</sub>NiBr<sub>2</sub>-catalyzed coupling reaction of bis(4-chlorophenyl) diselenide with Me 3-iodobenzoate in the presence of Aldrich 32,864-2 resin in THF/MeOH gave 84% 4-ClC<sub>6</sub>H<sub>4</sub>SeC<sub>6</sub>H<sub>4</sub>CO<sub>2</sub>Me-2.

IT **106206-61-5P**

RL: SPN (Synthetic preparation); PREP (Preparation)  
(prepn. of)

RN 106206-61-5 HCAPLUS


CN Benzoic acid, 4-(phenylseleno)- (9CI) (CA INDEX NAME)



REFERENCE COUNT:

19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>



chain nodes :

12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 39 40 42

ring nodes :

1 2 3 4 5 6 7 8 9 10

chain bonds :

12-13 12-14 15-16 15-17 17-18 19-20 19-21 21-22 23-24 23-25 26-27 26-28 28-29  
30-31 39-42 40-42

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10

exact/norm bonds :

15-16 15-17 17-18 19-20 19-21 23-24 23-25 26-27 26-28 30-31 39-42 40-42

exact bonds :

1-2 1-6 2-3 3-4 4-5 21-22 28-29

normalized bonds :

5-6 5-7 6-10 7-8 8-9 9-10 12-13 12-14

isolated ring systems :

containing 1 :

G1:[\*1],[\*2],[\*3],[\*4],[\*5],[\*6]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 12:CLASS  
13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS 21:CLASS  
22:Atom 23:CLASS 24:CLASS 25:CLASS 26:CLASS 27:CLASS 28:CLASS 29:CLASS 30:CLASS  
31:CLASS 39:CLASS 40:CLASS 41:CLASS 42:Atom

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
 NEWS 2 "Ask CAS" for self-help around the clock  
 NEWS 3 JAN 27 Source of Registration (SR) information in REGISTRY updated  
 and searchable  
 NEWS 4 JAN 27 A new search aid, the Company Name Thesaurus, available in  
 CA/CAPLUS  
 NEWS 5 FEB 05 German (DE) application and patent publication number format  
 changes  
 NEWS 6 MAR 03 MEDLINE and LMedline reloaded  
 NEWS 7 MAR 03 MEDLINE file segment of TOXCENTER reloaded  
 NEWS 8 MAR 03 FRANCEPAT now available on STN  
 NEWS 9 MAR 29 Pharmaceutical Substances (PS) now available on STN  
 NEWS 10 MAR 29 WPIFV now available on STN  
 NEWS 11 MAR 29 No connect hour charges in WPIFV until May 1, 2004  
 NEWS 12 MAR 29 New monthly current-awareness alert (SDI) frequency in RAPRA

NEWS EXPRESS MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT  
 MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),  
 AND CURRENT DISCOVER FILE IS DATED 13 APRIL 2004  
 NEWS HOURS STN Operating Hours Plus Help Desk Availability  
 NEWS INTER General Internet Information  
 NEWS LOGIN Welcome Banner and News Items  
 NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
 NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that  
 specific topic.

All use of STN is subject to the provisions of the STN Customer  
 agreement. Please note that this agreement limits use to scientific  
 research. Use for software development or design or implementation  
 of commercial gateways or other similar uses is prohibited and may  
 result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 15:15:40 ON 23 APR 2004

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 15:15:47 ON 23 APR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
 provided by InfoChem.

STRUCTURE FILE UPDATES: 21 APR 2004 HIGHEST RN 676437-01-7  
 DICTIONARY FILE UPDATES: 21 APR 2004 HIGHEST RN 676437-01-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when  
 conducting SmartSELECT searches.

Crossover limits have been increased. See [HELP CROSSOVER](#) for details.

Experimental and calculated property data are now available. For more information enter [HELP PROP](#) at an arrow prompt in the file or refer to the file summary sheet on the web at:  
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

L1 STRUCTURE UPLOADED

=> l1

L1 IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.  
 For a list of commands available to you in the current file, enter  
 "[HELP COMMANDS](#)" at an arrow prompt (=>).

=> d l1

L1 HAS NO ANSWERS

L1 STR

=> s l1

SAMPLE SEARCH INITIATED 15:18:28 FILE 'REGISTRY'  
 SAMPLE SCREEN SEARCH COMPLETED - 12 TO ITERATE

100.0% PROCESSED 12 ITERATIONS 3 ANSWERS  
 SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
 BATCH \*\*COMPLETE\*\*  
 PROJECTED ITERATIONS: 33 TO 447  
 PROJECTED ANSWERS: 3 TO 163

L2 3 SEA SSS SAM L1

=> s l1 full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS  
 DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y  
 FULL SEARCH INITIATED 15:18:32 FILE 'REGISTRY'  
 FULL SCREEN SEARCH COMPLETED - 449 TO ITERATE

100.0% PROCESSED 449 ITERATIONS 62 ANSWERS  
 SEARCH TIME: 00.00.01

L3 62 SEA SSS FUL L1

=> file hcaplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	157.10	157.31

FILE 'HCAPLUS' ENTERED AT 15:18:38 ON 23 APR 2004  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "[HELP USAGETERMS](#)" FOR DETAILS.  
 COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December

26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 23 Apr 2004 VOL 140 ISS 18  
FILE LAST UPDATED: 22 Apr 2004 (20040422/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13

L4 2 L3

=> d 14, ibib abs fhitr, 1-2

L4 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
-----------	-------------------

ACCESSION NUMBER:	2000:338377 HCAPLUS
DOCUMENT NUMBER:	133:89593
TITLE:	Solution-Phase Synthesis of Diaryl Selenides Using Polymer-Supported Borohydride
AUTHOR(S):	Millois, Corinne; Diaz, Philippe
CORPORATE SOURCE:	GALDERMA RD, Sophia-Antipolis, F06902, Fr.
SOURCE:	Organic Letters (2000), 2(12), 1705-1708
	CODEN: ORLEF7; ISSN: 1523-7060
PUBLISHER:	American Chemical Society
DOCUMENT TYPE:	Journal
LANGUAGE:	English
OTHER SOURCE(S):	CASREACT 133:89593


AB A new series of selenium-contg. diaryl retinoids have been prepd. by a new direct nickel(II)-catalyzed coupling of a diselenide with an iodoaryl in the presence of polymer-supported borohydride. Thus, (bpy)2NiBr2-catalyzed coupling reaction of bis(4-chlorophenyl) diselenide with Me 3-iodobenzoate in the presence of Aldrich 32,864-2 resin in THF/MeOH gave 84% 4-ClC6H4SeC6H4CO2Me-2.

IT 252352-07-1P

RL: SPN (Synthetic preparation); PREP (Preparation)  
(prepn. of)

RN 252352-07-1 HCAPLUS

CN Benzoic acid, 4-[(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)seleno]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L4 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN

Full Text	Citing References
-----------	-------------------

ACCESSION NUMBER: 1999:811209 HCAPLUS  
 DOCUMENT NUMBER: 132:35910  
 TITLE: Preparation of diaryl selenide compounds and their use in human or veterinary medicine and in cosmetics  
 INVENTOR(S): Bernardon, Jean-Michel; Diaz, Philippe  
 PATENT ASSIGNEE(S): Galderma Research & Development, S.N.C., Fr.  
 SOURCE: PCT Int. Appl., 81 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: French  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9965872	A1	19991223	WO 1999-FR1389	19990611
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
FR 2779720	A1	19991217	FR 1998-7439	19980612
FR 2779720	B1	20020816		
CA 2334843	AA	19991223	CA 1999-2334843	19990611
AU 9940491	A1	20000105	AU 1999-40491	19990611
AU 753187	B2	20021010		
EP 1086080	A1	20010328	EP 1999-923723	19990611
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
BR 9911833	A	20010925	BR 1999-11833	19990611
JP 2002518371	T2	20020625	JP 2000-554699	19990611
ZA 2000006518	A	20010730	ZA 2000-6518	20001110
NO 2000006337	A	20010212	NO 2000-6337	20001212
PRIORITY APPLN. INFO.:			FR 1998-7439	A 19980612
			WO 1999-FR1389	W 19990611

OTHER SOURCE(S): MARPAT 132:35910  
 GI



AB The invention concerns novel diaryl selenide compds. corresponding to I and their geometric and optical isomers and salts and the use thereof in pharmaceutical compns. in human or veterinary medicine (in the treatment of dermatol., rheumatic, cardiovascular and ophthalmol. pathologies in particular), or in cosmetic compns. In I, R1 = Me, CH2OR5 (R5 = H, lower alkyl, C(O)R10 (R10 = lower alkyl)), C(O)R6 (R6 = H, lower alkyl, OR12

(R12 = H, lower alkyl, aryl, aralkyl possibly substituted, monohydroxyalkyl, polyhydroxyalkyl), NR'R'' (R'/R'' = H, lower alkyl, aryl possibly substituted, amino acid fragment; R' and R'' together with N form a heterocycle)); Ar = R7-substituted benzene or pyridine diradical (R7 = H, halogen, lower alkyl, nitro, OR13 (R13 = H, lower alkyl), polyether radical, NR14R15 (R14/R15 = H, lower alkyl)), diradicals of furan, thiophene or thiazole; R2/R3 = H, tBu, 1-methylcyclohexyl, 1-adamantyl, OR8 (R8 = H, lower alkyl, aryl possibly substituted, aralkyl possibly substituted, monohydroxyalkyl, polyhydroxyalkyl, lower alkyl), polyether radical, where at least one of R2 or R3 = tBu, 1-methylcyclohexyl, 1-adamantyl; R2 and R3 may together with an adjacent arom. ring form a satd. 5- or 6-membered ring possibly substituted by Me groups and/or possibly interrupted by O or S; R4 = H, halogen, lower alkyl, OR9 (R9 = H, lower alkyl, aryl possibly substituted, aralkyl possibly substituted, monohydroxyalkyl, polyhydroxyalkyl, lower alkyl, (CH2)nCO2R16 (R16 = H, lower alkyl; n = 1-12), (CH2)nX (X = halogen)), polyether radical, C(O)R10. Although the method of prepn. is not claimed, 70 example prepn. are included. In a typical prepn., a haloarene (e.g. 2-bromo-5,6,7,8-tetrahydro-3,5,5,8,8-pentamethylnaphthalene) is successively reacted with tBuLi in THF, Se, and NaOH in EtOH to give a diselenide, which is cleaved with NaBH4 in EtOH to give the Na salt of an areneselenol, which is undergoes metathesis with IR1 or BrR1 (e.g. Et 4-iodobenzoate) in the presence of NiBr2py2 in EtOH to give I (e.g. Et 4-(3,5,5,8,8-pentamethyl-5,6,7,8-tetrahydronaphthalen-2-ylselenenyl)benzoate).


IT 252351-97-6P, Ethyl 4-(3,5,5,8,8-Pentamethyl-5,6,7,8-tetrahydronaphthalen-2-ylselenenyl)benzoate

RL: RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(prepn. of diaryl selenide compds. and use in human or veterinary medicine and in cosmetics)

RN 252351-97-6 HCAPLUS

CN Benzoic acid, 4-[(5,6,7,8-tetrahydro-3,5,5,8,8-pentamethyl-2-naphthalenyl)seleno]-, ethyl ester (9CI) (CA INDEX NAME)



REFERENCE COUNT:

13

THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file caold

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

11.87

169.18

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-1.39

-1.39

FILE 'CAOLD' ENTERED AT 15:19:20 ON 23 APR 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.



COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966

FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> d his

(FILE 'HOME' ENTERED AT 15:15:40 ON 23 APR 2004)

FILE 'REGISTRY' ENTERED AT 15:15:47 ON 23 APR 2004

```
L1      STRUCTURE UPLOADED
L2      3 S L1
L3      62 S L1 FULL
```

FILE 'HCAPLUS' ENTERED AT 15:18:38 ON 23 APR 2004

```
L4      2 S L3
```

FILE 'CAOLD' ENTERED AT 15:19:20 ON 23 APR 2004

=> s 13

```
L5      0 L3
```

=> file uspatfull

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.42	169.60
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-1.39

FILE 'USPATFULL' ENTERED AT 15:19:30 ON 23 APR 2004

CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 22 Apr 2004 (20040422/PD)

FILE LAST UPDATED: 22 Apr 2004 (20040422/ED)

HIGHEST GRANTED PATENT NUMBER: US6725463

HIGHEST APPLICATION PUBLICATION NUMBER: US2004078858

CA INDEXING IS CURRENT THROUGH 22 Apr 2004 (20040422/UPCA)

ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 22 Apr 2004 (20040422/PD)

REVISED CLASS FIELDS (/NCL) LAST RELOADED: Feb 2004

USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Feb 2004

```
>>> USPAT2 is now available.  USPATFULL contains full text of the  <<<
>>> original, i.e., the earliest published granted patents or      <<<
>>> applications.  USPAT2 contains full text of the latest US      <<<
>>> publications, starting in 2001, for the inventions covered in  <<<
>>> USPATFULL.  A USPATFULL record contains not only the original  <<<
>>> published document but also a list of any subsequent           <<<
```

>>> publications. The publication number, patent kind code, and <<<  
>>> publication date for all the US publications for an invention <<<  
>>> are displayed in the PI (Patent Information) field of USPATFULL <<<  
>>> records and may be searched in standard search fields, e.g., /PN, <<<  
>>> /PK, etc. <<<

>>> USPATFULL and USPAT2 can be accessed and searched together <<<  
>>> through the new cluster USPATALL. Type FILE USPATALL to <<<  
>>> enter this cluster. <<<

>>> Use USPATALL when searching terms such as patent assignees, <<<  
>>> classifications, or claims, that may potentially change from <<<  
>>> the earliest to the latest publication. <<<

This file contains CAS Registry Numbers for easy and accurate  
substance identification.

=> s 13

L6                    0 L3

=>